



Gulf Power Trac 2T Low Smoke 2-Stroke Motorcycle Oil

Product Description

Gulf Power Trac 2T is a superior quality low smoke lubricant designed for use in 2-stroke air cooled gasoline engines. It is formulated from high quality base stocks, and special additives to provide excellent engine protection, cleanliness and low smoke in 2-stroke motorcycle/ scooter engines operating in different conditions. The product meets the international specifications of JASO FD, API TC & ISO-L-EGD and the requirements of leading global 2-stroke motorcycle/ scooter manufacturers.

Features & Benefits

- Excellent lubricity and antiwear properties protect against piston scuffing and premature wear of engine components
- Unique formulation provides excellent control against engine deposits, exhaust system blocking and extended engine life without power loss
- Low ash additive technology prevents pre-ignition and spark plug fouling
- Easy miscibility with gasoline ensures stable homogeneous mixture even at low ambient temperatures

Applications

- Recommended for high-powered 2-stroke motorcycles/ scooters under all types of road and traffic conditions
- Suitable for both oil-injection and premix lubrication systems; follow manufacturer's recommendations for oil to fuel ratio
- Also recommended for high performance 2-stroke engines in all terrain vehicles, gardening equipment and other variety of applications requiring oil of this quality

Specifications, Approvals & Typical Properties

Cumple las siguientes especificaciones		
API TC , JASO FD , ISO-L-EGD		
Propiedades Típicas		
Parámetros de Prueba	Método ASTM	Valores Típicos
Viscosidad @ 100 °C, cSt	D 445	9.32
Punto de Inflamación, °C	D 93	89
Punto de Ecurrimiento, °C	D 97	-12
TBN, mg KOH/g	D 2896	0.80
API	D 1298	31.1
Densidad @ 15°C, Kg/l	D 1298	0.8702
Cenizas Sulfatadas, %wt	D 874	0.14
Color ASTM	D 1500	2.5

Properties mentioned above are typical only and minor variations, which do not affect the product performances, are to be expected in normal manufacturing. The above information is based on past history of the grade only and must not be construed as a guarantee of performance. Follow equipment manufacturer's recommendations for performance level and viscosity grade. The

Material Safety Data Sheet for this product is available from your nearest Gulf Distributor. Gulf Oil International

The information contained herein is believed to be correct at time of publication. No warranty expressed or implied is given concerning the accuracy of the information or the suitability of the